

No. 4.—RETURN of NOTICES given to FENCE or REPAIR DANGEROUS PARTS of MACHINERY, &c.—
continued.

Number.	Machinery.	Particulars.
1	Hauling	Engine to fence.
16	Hydraulic crane	Chains annealed.
2	"	Chains repaired.
12	"	Handrails round platforms.
1	"	Jib strengthened and new pins fitted.
2	"	New elevating chains.
1	"	New wire rope.
1	"	Platform and house repaired.
1	Hydraulic lift	Chains annealed.
1	"	Cage fenced.
2	"	New eye-bolt on guard-rail.
1	"	New leathers in bucket and valves.
2	"	New wire rope for safety-gear.
2	"	New springs for safety-catches.
4	"	New wire ropes.
2	"	Railings round floor-openings.
13	"	Safety-catches overhauled and adjusted.
1	"	Two new handrails round floor-openings.
1	Iron-foundry	Pinions of shearing-machine.
1	"	Wheels and pulleys of rolls.
1	Jewellery	Cog-wheels of rolls.
2	Joinery	Countershafts.
1	"	Crank-shaft of engine.
1	"	End of engine-shaft.
1	"	Fly-wheel of engine.
1	"	Fly-wheel and crank-shaft.
1	"	Lower driving-wheel of band saw.
1	Lime-works	Fly-wheel of engine and driving-belt.
1	Log-hauling	Loose fly-wheel made secure.
1	Machine-shop	Belting.
1	"	Fly-wheel of engine.
3	Milking-machines	Belting.
4	"	Engines to fence.
1	"	Engine and pulley.
2	"	Fly-wheel of engine.
3	"	Fly-wheel of engine and pump.
1	Mincing-machine	Belt-pulley.
1	Pelton wheel	Belting.
1	"	Fly-wheel of engine.
1	Mortar-mill	Fly-wheel of engine.
6	Oil-engines	Belting and pulley.
4	"	End of crank-shaft.
8	"	Fly-wheel of engine.
2	"	Main driving-belt.
1	"	Railing round engine.
1	Overshot water-wheel	End of shaft.
1	"	New axle fitted, woodwork repaired, and tail-race fenced.
1	"	Shafting of machinery.
2	"	Railing round wheel.
1	Pelton wheel	Belting.
1	"	Driving-pulley.
1	"	Pinion and spur-wheel driving dynamo.
2	"	Shafting and set-screws.
1	Pill-making	Main driving-belt and bevel-wheels of pill-coating machine.
1	Planing-mill	Emery wheel.
1	"	Machinery.
1	"	Sleeve put over the end of crank-shaft.
1	Plumbing	Engine and pinions of spouting and ridging machine.
1	"	Machinery.
1	Power lift	Balance-weights, main driving-belt, and railing round floor-openings.
1	"	New wire rope.
1	"	New sheaves and pins for overhead gear.
1	"	Railing round floor-openings.
1	"	Safety-gear overhauled and adjusted.