Totals.

Causes of Death.

Zymotic Diseases.—Auckland and suburban boroughs, 103 deaths. For the last five years: 1903, 86; 1904, 52; 1905, 45; 1906, 42; 1907, 103.

These	103	deaths	were	from-
-------	-----	--------	------	-------

Diarrhœal disease	es		•••	• • • •				19
Influenza					• • •			10
Typhoid fever					•••		:	6
Scarlet fever			•••		•••	•••		1
Diphtheria		• • •	•••					8
Whooping-cough	• • •	• • • •			•••			36
Measles			• • •	• • •				17
Other zymotic dis	eases	•••		• • •	• • •			6
•								103

The deaths under this head from diphtheria, whooping-cough, and measles are unusually high; otherwise the figures follow those of the previous year. The comparatively large number of deaths from measles and whooping-cough, which unfortunately are diseases often lightly viewed by the public, warrants the prosecution of the present crusade to educate the mothers in the rearing and nursing of children, in addition to the important question of feeding. Good results are already being seen from the great attention recently given by the public to this matter.

Hydatids.—1 death at Hamilton. This disease is much less frequent than formerly.

Cancer.-50 deaths.

Phthisis and other Tubercular Diseases.—66 deaths.

Diseases of the Respiratory Organs.—102, against 78 for the previous year. The Registrar-General notes a very considerable increase under this head also in Wellington and Christchurch. No doubt this is accounted for by the exceptionally wet weather. In Auckland we had 42 in. of rain during the first nine months of the year.

N.B.—From this point statistics cover the period of the departmental year—1st April, 1907, to 31st March, 1908.

Infectious-disease Notifications.

Notifications of infectious diseases made from every part of the health district are in excess of those of the past five years:—

1903–4								777
1904–5					•••	•••	•••	620
1905-6						•••		616
1906–7		•••	•••				• • • •	642
1907–8	•••	•••	•••	•••		•••		1,071
The increases over	1906-7	for the la	ast year a	re,—		unit inte		
Auckland City	7		•••	• • •	•••	•••		109
Suburban bor	oughs		• • • •	•••	•••			66
Road districts	3			•••	•••	***		33
Country distr	icts				• • •			208
Auckland Hos	spital, Me	ental Hos	spital, Ga	ol, and s	hipping			13
		Jan						
								429
Compared with 19	06-7, the	notificat	tions show	·,				

					1906–7.	1907–8.	Increase or Decrease Present Year.
Enteric fever	•••	•••		•••	153	353	+ 200
Scarlet fever			•••		268	277	+ 9
Diphtheria					103	165	+ 62
Tuberculosis					96	198	+ 102
Blood-poisoning,	inclu	ding susp	ected pla	gue	22	76	+ 54
Plague		•••	• •••	••••	•••	2	+ 2
							• •
							429

The increase in notifications, more especially with regard to tuberculosis, may be due in some measure to the administration with regard to notification having been vigorously carried out. There was a notable increase after a medical practitioner had been mulcted in a fine of $\pounds 7$, and costs.