

LIST OF INDIGENOUS PLANTS IN WAIMARINO FOREST—*continued*.

Natural Order and Species.	Maori Name.	English Name.	Distribution.		
			Beyond New Zealand, or Endemic.	Within New Zealand.	In the Waimarino Forest.
CRUCIFERAE.					
<i>Cardamine hirsuta</i>	..	Hairy bitter-cress	Cos. temp.	N. C. S. Ch. Sub.	Forest, near streams.
VIOLARIEAE.					
<i>Viola filicaulis</i>	..	..	End. ..	N. C. S.	Forest.
— <i>Cunninghamii</i>	..	Common N.Z. violet	Aus. ..	C. S. ..	Swampy places.
<i>Melicytus ramiflorus</i> ..	Mahoe ..	Whitewood ..	Pol., Norfolk Island.	N. C. S.	Lower forest.
— <i>lanceolatus</i>	..	..	End. ..	N. C. S.	Higher forest.
<i>Hymenanthera dentata</i> var. <i>angustifolia</i> ..	..	..	Aus. ..	C. S. ..	By stream in scrub.
PITTIOSPOREAE.					
<i>Pittosporum tenuifolium</i> ..	Kohuhu or tawhiri ..	..	End. ..	N. C. S.	Lower forest and scrub.
— <i>Colensoi</i>	..	..	End. ..	C. S. ..	Forest and scrub.
— <i>rigidum</i>	..	..	End. ..	C. S. ..	15 ft. high ; by stream in Waimarino grass-steppe.
— <i>Kirkii</i>	..	..	End. ..	N. ..	Higher forest.
— <i>cornifolium</i>	..	..	End. ..	N. C. ..	Forest.
— <i>eugenioides</i>	Tarata ..	Lemon-wood ..	End. ..	N. C. S.	Lower forest-margin and in scrub.
MALVACEAE.					
<i>Plagianthus betulinus</i> ..	Manatu ..	Lacebark ..	End. ..	N. C. S. Ch.	Forest-margin to 2,500 ft.
<i>Hoheria populnea</i> var. <i>lanceolata</i> ..	Houhere ..	Lacebark ..	End. ..	N. C. S.	Forest-margin to 2,200 ft.
TILIACEAE.					
<i>Aristotelia racemosa</i> ..	Makomako ..	Wineberry ..	End. ..	N. C. S.	Forest, common.
— <i>Colensoi</i>	..	..	End. ..	C. S. ..	Forest-margin.
— <i>fruticosa</i>	..	..	End. ..	N. C. S.	Margins of higher forests and scrub.
<i>Elaeocarpus Hookerianus</i> ..	Pokaka ..	..	End. ..	N. C. S.	General in forests.
— <i>dentatus</i>	Hinau ..	..	End. ..	N. C. S.	Forest to 2,400 ft.
GERANIACEAE.					
<i>Geranium microphyllum</i> ..	..	Small-leaved cranesbill	End. ..	N. C. S. Sub.	Grass-steppe.
<i>Oxalis corniculata</i> var. <i>ciliifera</i> ..	..	..	..	N. C. S. Ker.	Forest-opening.
RUTACEAE.					
<i>Melicope simplex</i>	..	..	End. ..	N. C. S.	Forest ; common.
OLACINEAE.					
<i>Pennantia corymbosa</i> ..	Kaikomako ..	..	End. ..	N. C. S.	Forest ; common.
CORIARIEAE.					
<i>Coriaria ruscifolia</i>	Tutu tupakihi ..	..	S. A. ..	N. C. S. Ch.	Forest by streams and in open country.
— <i>thymifolia</i>	Tutupapa ..	..	S. A. ..	C. S. ..	By streams in high forest and open country.
LEGUMINOSAE.					
<i>Carmichaelia flagelliformis</i> ..	Taunoka ..	N.Z. broom ..	End. ..	N. C. S.	Grass-steppe and by lower streams.
<i>Sophora tetraptera</i>	Kowhai ..	N.Z. laburnum	S. A. ..	N. C. S. Ch.	By streams at margin of lower forest.
ROSACEAE.					
<i>Rubus australis</i>	Tataramoa ..	Bush-lawyer ..	End. ..	N. C. S.	Forest and scrub at lower levels.
— <i>cissoides</i>	..	Bush-lawyer ..	End. ..	N. C. S.	Forest.
— <i>schmideloides</i>	..	Bush-lawyer ..	End. ..	N. C. S.	Forest on Hauhungatahi, &c.
<i>Acaena novae-zelandiae</i> ..	Piripiri ..	N.Z. burr ..	End. ..	N. C. S.	Grass-steppe and bush-roads.
— <i>sanguisorbac</i>	Piripiri ..	N.Z. burr ..	Aus., Tristan da Cunha	N. C. S. Ch. Sub.	Forest.
— <i>microphylla</i> var. <i>depressa</i> ..	..	..	End. ..	C. S. ..	Grass-steppe.
SAXIFRAGEAE.					
<i>Weinmannia racemosa</i> ..	Kamahi, towai, tawhero	..	End. ..	N. C. S.	Forest, and by streams in open.
DROSERACEAE.					
<i>Drosera arcturi</i>	..	Alpine sundew	Aus. ..	C. S. ..	Hauhungatahi bogs.
— <i>spathulata</i>	..	Spoon-leaved sundew	Aus. ..	N. C. S.	Bogs near Erua.
— <i>binata</i>	..	..	Aus. ..	N. C. S.	Bogs near Erua.