

The following table shows infectious diseases more prevalent in hospital districts during the year ended 31st December, 1911 :—

Health District.	Hospital District.	Scarlet Fever.	Diph- theria.	Enteric Fever.	Tuber- culosis.	Blood Poison- ing.	Total.
Auckland	Bay of Islands ..	3	9	3	7	1	23
	Marsden-Kaipara ..	28	3	38	2	4	75
	Auckland	185	116	120	108	31	560
	Waikato	58	59	89	38	7	251
	Thames	64	14	63	9	1	151
	Coromandel	2	4	3	3	..	12
	Waihi	19	14	16	4	4	57
	Bay of Plenty ..	8	4	14	6	7	39
Wellington, Hawke's Bay, Nelson, and Marlborough	Cook	31	2	123	6	5	167
	Waiapu	..	..	100	1	..	101
	Wairoa	1	6	9	17	2	35
	Hawke's Bay ..	122	17	18	29	8	194
	Waipawa	7	6	2	4	..	19
	Taranaki	12	4	14	13	2	45
	Stratford	4	..	5	2	1	12
	Hawera	25	1	2	9	1	38
	Patea	7	4	..	10	..	21
	Wanganui	292	37	17	45	3	394
	Palmerston North ..	86	25	2	16	2	131
	Wellington	310	184	40	89	8	631
	Wairarapa	63	18	15	28	..	124
	Picton	22	11	4	4	..	41
	Wairau	36	1	3	5	..	45
	Nelson	29	6	2	..	..	37
	Buller	14	..	1	..	2	17
North Canterbury and Westland	Westland	5	..	1	1	1	8
	Inangahua	2	11	1	16	2	32
	Grey	8	..	5	3	..	16
	North Canterbury ..	418	134	28	95	10	685
	Ashburton	48	10	..	12	1	71
	South Canterbury ..	108	47	16	3	1	175
Otago and Southland ..	Waitaki	9	..	1	17	..	27
	Otago	229	61	16	74	3	383
	Vincent	18	..	12	5	..	35
	Maniototo	..	3	..	..	..	3
	Southland	71	54	9	32	7	173
	Wallace and Fiord ..	18	3	..	6	..	27
		2,362	868	792	719	114	4,855

The following tables show the notifications per month of the infectious diseases more prevalent in local authorities' districts during the year ended 31st December, 1911.