STATISTICS (SHOWING THE HEALTH OF TROOPS) FOR THE FOUR MILITARY CAMPS, 1916.

FOUR REINFORCEMENT CAMPS.

Average annual strength, 11,722. Admitted into hospital, 12,048. Average number constantly sick, 230.65.

Deaths.—In camp: Disease, 85; accident, 1; suicide, 3; poison (accident), 1: total, 90. Out of camp: Disease, 7 (in hospital); accident, 7: total, 14. Total deaths, 104.

Table showing the Admissions into Hospital by Diseases and the Number constantly sick among the Troops of the Expeditionary Force in the Dominion for the Year 1916.

Estimated average annual strength, 11,772. Average sick time to each soldier, 2·11 days. Average duration of each case of sickness, 7·01 days.

Dis	sease.			Admission to Hospital.	Deaths.	Average Number constantly sick.
	-	1 - 1 - 1 - 1				The second secon
Gener	al Diseases.					
Group A-						
Cerebro-spinal fever .				51	36	3.77
				9		0.07
				7		0.26
Diphtheria				6	1	0.31
Influenza				5,527	2	66.07
			!	5	• •	0.08
				2	• •	0.02
	• .	• •	• •	117		4.47
			• •	2,155	2	86.83
		• •	• •	15		0.91
			• •	. 1	• •	0.01
« , L			• •	Ī	• •	0.03
Mumps		• •	• •	4		0.06
Group B						0.00
1, 2		• •	• •	$\frac{2}{a}$		0.02
Dysentery			• •	. 6		0.05
Group Con-				•		0.01
Malaria		• •	• •	1	• •	0.01
CI TO						
Group D				_		0.00
Pyrexia of uncertain o	rigin	• •	• •	5	• •	0.09
7.1 IA						
Group E						0.19
3 1	• • •	• •	• • •	4	• •	0.18
		• •	• •	$\frac{2}{4}$	• •	0.01
	• • •	• •	• •	4		0.11
	• • •	• •	• • •	$\frac{2}{3}$	1	0.11
		• •		11	• •	0·18 0·14
Inflammation of lymp				$\frac{11}{27}$	• •	
Inflammation of conne			• •	30	• •	0.36
Abscess of connective			• •		• •	0.51
	• • • •		• • •	56		1.00
			• •	$\frac{7}{12}$	• •	0.14
J	•			29	• •	0.15
	•	• •		!	• •	
Whitlow		• •	. ,	.8	• •	0.10
Group F-						
		**		1		0.05
Tetanus		• •	• •	1	• •	0.09
Group G						
Group G————————————————————————————————————				91	39	4.72
Rheumatic fever			. ,	97		1.74
Sore throat				103	• •	1.16
		• •		115	• •	1.31
Tonsilitis	•.	• •		110	• •	1.01
Group H						
				15	2	0.57
Other tubercular disea		• •	• •	3	4	0.09
Omer dubercular disea	מטמ	• •	• • •	0	* *	0.09
Cuoun I			į			
Group I— Gonorrhœa				356		13.17
C 1 '1'	• • • • • • • • • • • • • • • • • • • •		• •	9	• •	0.43
Soft chancre			• •	7.	• •	0.09
эого спалсте				(- '		0.00