

TABLE W.—ELECTRIC-SUPPLY STATIONS OF NEW ZEALAND AT 31ST MARCH, 1927—continued.

(G = gas; O = oil; S = steam; W = water.)

Title.	Ownership.	Supply commenced.	Population included in Area of Supply.	Number of Consumers.	Capacity in Kilowatts.			Connected Load (Kilowatts).	Demand Factor.	Units.			Annual Load-factor Percentage.	System of Supply.	Supply Voltage.	Route-miles of Lines.	Static Head, In Feet.
					Main Plant.	Standby Plant.	Maximum Load.			Generated or purchased.	Sold.	Non-productive.					
<i>Hydro Stations—contd.</i>																	
23. Tauranga ..	Borough Council	1915	2,500	803	4,300	..	3,418†	1,520	..	12,412,672	10,310,637	2,102,035	16.8	A.C.	415/230	69.5	110 & 86
Tauranga ..	Power Board	1925	8,300	738	Bulk	..	(555)	2,042	..	*(1,993,590)	(1,661,261)	(332,329)	16.6	A.C.	400/230	264	..
Te Puke ..	Town Board	1921	925	234	Bulk	..	(74.4)	477	15.5	(224,118)	(198,908)	(25,210)	11.2	A.C.	400/230	9	..
24. Teviot ..	Power Board	1924	2,400	300	750	..	300	900	33	1,028,745	..	..	16.3	A.C.	400/230	64	380
Otago Central ..	Power Board	1925	2,037	560	Bulk	..	(160)	765	20.95	(400,600)	(355,550)	(44,450)	11.1	A.C.	400/230	70	..
25. Tourist Dept. (Rotorua)†	Government	1901	5,000	1,278	200	187 (O)	320	2,188	14.62	1,119,917	824,510	295,407	26.37	A.C.	400/230	37	14
26. Waikato (Horahora) ..	Public Works Dept.	1913	151,847	18	12,875	2,500 (S)	14,160	52,205	29.4	86,652,102	75,844,229	10,807,873	12.5	A.C.	11,000	373	27
Cambridge ..	Power Board	1922	(6,000)	1,069	Bulk	..	(472)	(2,032)	23.3	(2,699,500)	(2,067,817)	(631,683)	23.4	A.C.	400/230	124.5	..
Central ..	Power Board	1921	(17,512)	2,680	Bulk	..	(1,002)	(5,153)	19.4	(5,130,283)	(4,272,597)	(857,686)	16.7	A.C.	400/230	382	..
Franklin ..	Power Board	1925	(16,359)	1,724	Bulk	150 (G)	(442)	(2,636)	16.76	(1,522,163)	(1,318,315)	(203,848)	13.4	A.C.	400/230	163	..
Hamilton ..	Borough Council	1913	(15,000)	3,167	Bulk	..	(816)	(5,142)	15.87	(2,578,734)	(2,106,425)	(472,309)	18.3	A.C.	400/230	48	..
Te Awamutu ..	Power Board	1920	(8,500)	1,275	Bulk	..	(744)	(3,081)	24.15	(3,464,117)	(2,751,284)	(712,833)	20.58	A.C.	400/230	290	..
Thames Valley ..	Power Board	1920	(43,120)	4,696	Bulk	..	(3,937)	(15,193)	25.9	(19,876,401)	(15,801,739)	(4,074,662)	20.6	A.C.	400/230	637	..
Thames ..	Borough Council	1914	(5,000)	1,034	Bulk	200	(240)	(1,463)	16.4	(915,847)	(772,964)	(142,883)	15.6	A.C.	400/230	20	130
Te Aroha ..	Borough Council	1906	(2,324)	616	Bulk	150 (W)	(143)	(1,018)	14.04	(480,290)	(385,747)	(94,543)	19.6	A.C.	400/230	15.5	560
Waitemata ..	Power Board	1926	(26,632)	2,112	Bulk	..	(451)	(3,555)	12.7	(862,566)	(668,759)	(193,807)	22.4	A.C.	400/230	133	..
Waitomo ..	Power Board	1925	(8,000)	1,015	Bulk	170 (G)	(160)	(1,132)	14.1	(637,760)	(460,304)	(177,456)	27.82	A.C.	400/230	60	..
27. Waioa (Waikaremoana)	Power Board	1923	5,341	233	2,000	..	1,010	2,571	39.4	2,569,270	2,177,380	391,890	15.2	A.C.	415/230	103	680
28. Waioa ..	Borough Council	1913	2,337	575	Bulk	..	(213)	1,400	15.2	(858,193)	(773,722)	(84,471)	9.8	A.C.	400/230	13	..
29. Waivera ..	Company	1910	4,000	572	100	40 (G)	100	647	15.6	139,500	113,600	25,900	18.6	A.C.	400/230	33	12
30. Wairarua (Wilson's Cement Company)	Town Board	1916	650	183	40	..	18	160	11.25	35,000	31,195	3,805	10.8	A.C.	400/230	6	60
..	Company	1916	..	38	2,500	..	2,200	..	..	10,772,415	9,232,491	1,539,924	14.2	A.C.	400/230	37	130
Kamo ..	Town Board	1923	516	72	Bulk	..	(30)	85	35.29	(21,227)	(16,981)	(4,246)	20	A.C.	400/230	5.5	..
Whangarei ..	Borough Council	1915	7,000	1,740	Bulk	..	(405)	3,173	12.75	(1,441,230)	(1,100,282)	(340,948)	23.65	A.C.	400/230	23	..
31. Waikare ..	Power Board	1925	2,000	212	480	..	180	570	31.6	269,707	251,500	18,207	6.7	A.C.	400/230	72.5	65
32. Westport ..	Borough Council	1925	4,000	351	250	..	110	344	32	206,620	140,979	65,641	31.76	A.C.	400/230	21.5	430
33. Whakatane ..	Borough Council	1922	1,450	374	240	..	230	529	43.5	661,960	385,515	276,445	42	A.C.	400/230	32	276
Totals ..	..	..	912,655	169,096	103,288	21,660	76,915	392,664	20.2	351,654,279	302,227,684	48,289,850	13.7	..	..	12,896.37	..

* Assessed.

† Now on bulk supply from Horahora.

‡ Includes Horahora maximum demand.