

TABLE A.—NOTIFIABLE DISEASES IN NEW ZEALAND, 1927, SHOWING DISTRIBUTION BY MONTHS.

Month.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Tuberculosis.	Cerebro - spinal Meningitis.	Poliomyelitis.	Pneumonic Influenza.	Pneumonia.	Rhyssipelas.	Puerperal Fever.	Septic Abortion.	Relapsing.	Tetanus.	Hydatids.	Trachoma.	Ophthalmia Neonatorum.	Lethargic Encephalitis.	Food-poisoning.	Dysentery.	Beriberi.	Actinomycosis.	Anthrax.	Lead-poisoning.	Total.
January ..	75	105	21	86	3	3	7	43	12	28	7	5	3	5	2	3	2	1	1	1	..	..	..	412
February ..	91	59	17	91	2	5	7	27	13	13	8	7	..	9	1	5	3	3	3	..	..	1	..	361
March ..	163	154	53	113	2	5	11	41	9	26	7	10	..	4	2	2	..	..	..	..	..	..	..	603
April ..	160	147	26	86	2	4	8	44	15	19	3	6	..	3	..	2	2	1	..	..	..	..	..	528
May ..	213	147	15	100	1	4	6	52	14	19	8	8	..	..	2	3	3	..	..	1	2	..	..	599
June ..	222	172	33	91	2	2	19	77	23	22	7	9	3	3	..	3	3	52	..	..	..	..	..	740
July ..	237	140	19	122	2	2	13	141	28	22	4	6	..	6	3	1	1	1	..	1	..	..	..	750
August ..	225	147	20	113	1	..	20	139	36	29	9	8	2	3	2	2	3	3	1	..	..	..	..	761
September ..	218	91	10	144	7	..	21	80	26	14	7	4	5	4	1	2	3	2	2	..	..	..	..	639
October ..	200	123	11	143	..	..	21	81	21	22	12	8	3	11	..	3	3	4	..	..	..	..	..	663
November ..	175	74	18	142	..	2	14	91	20	12	5	2	5	5	..	5	4	6	..	..	..	..	..	581
December ..	206	87	27	112	..	2	29	92	27	18	7	3	1	3	2	7	4	25	..	..	..	..	1	653
Totals, 1927 ..	2,185	1,446	270	1,343	22	29	176	908	244	244	84	76	22	56	15	38	31	92	3	2	2	1	1	7,290
Totals, 1926 ..	1,583	1,975	302	1,318	35	22	641	880	233	190	107	54	16	67	10	32	42	26	21	..	..	3	6	7,563