

TABLE A.—NOTIFIABLE DISEASES IN NEW ZEALAND FOR YEAR ENDED 31ST DECEMBER, 1934, SHOWING DISTRIBUTION BY MONTHS.

Month.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Tuberculosis.	Cerebro - spinal Meningitis.	Poliomylitis.	Influenza.	Erysipelas.	Puerperal Fever.		Relapsing.	Tetanus.	Hydatids.	Trachoma.	Ophthalmia Neonatorum.	Lethargic Incephalitis.	Food Poisoning.	Dysentery.		Actinomycosis.	Undulant Fever.	Lead Poisoning.	Anthrax.	Leprosy.	Phosphorus Poisoning.	Totals, 1934.	Totals, 1933.	Totals, 1932.
									Ordinary.	Following Abortion or Miscarriage.								Bacillary.	Amoebic.									
January	51	35	2	58	1	..	3	16	13	9	8	4	3	..	1	2	2	2	2	..	2	..	..	..	..	212	255	309
February	53	28	6	73	..	3	1	14	17	9	3	1	4	..	2	1	1	1	1	..	1	2	..	..	..	220	276	322
March	63	38	6	67	1	1	2	19	8	16	5	3	4	1	2	1	5	10	..	..	3	2	..	..	..	220	276	322
April	..	..	6	58	..	2	4	24	13	17	2	3	1	..	2	1	11	5	10	..	3	1	..	..	..	255	329	375
May	85	40	6	67	..	2	3	22	11	15	3	2	3	1	3	1	..	..	1	..	3	..	..	..	..	274	402	333
June	91	41	10	70	2	2	6	18	14	13	10	..	1	..	2	..	..	2	..	..	2	..	..	..	..	284	364	323
July	66	57	2	74	9	..	3	18	14	13	10	..	1	..	2	..	..	..	..	..	3	..	..	..	..	272	352	332
August	83	54	5	75	1	1	18	31	9	18	11	1	2	1	2	..	2	1	..	..	2	..	1	..	..	317	311	313
September	74	33	2	69	..	1	10	24	11	10	8	..	2	..	2	1	..	..	..	..	3	..	..	..	..	250	308	277
October	46	30	4	68	3	..	4	20	9	16	10	3	3	..	2	..	..	..	..	..	3	..	..	..	..	217	291	279
November	73	27	3	86	3	2	6	18	9	15	10	1	5	..	1	4	..	..	1	..	3	..	..	..	..	266	252	276
December	36	31	5	62	..	1	11	19	11	15	8	2	4	..	1	1	..	..	1	1	5	..	..	..	..	214	251	277
..	41	22	..	64	2	1	3	14	3	18	3	4	3	..	..	2	56	1	..	..	4	..	..	..	..	241	228	299
Totals, 1934	762	436	51	824	19	14	71	239	128	171	81	21	35	3	18	14	77	20	..	2	34	1	1	..	..	3,022	..	..
Totals, 1933	783	963	106	890	12	43	41	226	105	115	84	15	46	8	25	26	42	63	1	4	18	1	..	1	..	3,619	..	..
Totals, 1932	829	802	195	904	16	148	24	233	110	142	62	17	37	4	23	21	72	44	..	7	24	1	..	..	..	..	..	3,715