

TABLE C.—NOTIFIABLE DISEASES IN NEW ZEALAND FOR YEAR ENDED 31ST DECEMBER, 1936, SHOWING DISTRIBUTION BY AGE AND SEX.

Disease.	Under 1 Year.		1 to 5 Years.		5 to 10 Years.		10 to 15 Years.		15 to 20 Years.		20 to 25 Years.		25 to 30 Years.		30 to 35 Years.		35 to 40 Years.		40 to 45 Years.		45 to 50 Years.		50 to 55 Years.		55 to 60 Years.		60 to 65 Years.		65 to 70 Years.		70 to 75 Years.		75 to 80 Years.		80 Years and over.		Total Cases at all Ages.	Grand Total.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
Scarlet fever ..	3	5	93	114	240	278	72	141	15	50	9	37	6	30	5	11	7	11	1	7	2	3	1	3	2	3	..	..	..	..	..	..	..	..	..	457	695	1,152	
Diphtheria ..	8	3	83	59	111	95	23	31	5	14	7	23	5	8	4	12	2	2	2	7	..	3	..	..	..	..	..	..	..	..	..	..	..	..	251	262	513		
Enteric fever— (a) Typhoid ..	..	..	2	1	4	2	6	3	4	5	3	6	3	3	3	1	3	2	1	1	1	3	..	1	..	..	..	..	..	..	..	..	..	..	30	28	58		
(b) Paratyphoid ..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3			
Tuberculosis ..	..	..	1	1	12	7	14	16	29	50	60	118	58	81	58	65	40	40	43	23	36	20	47	8	33	16	16	6	15	4	6	3	1	..	471	463	934		
Cerebro-spinal meningitis ..	1	1	3	1	2	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	5	12			
Poliomyelitis ..	3	1	7	10	20	18	9	8	2	6	..	..	1	1	2	6	..	..	1	..	6	1	4	1	1	3	..	..	..	..	..	..	..	43	44	87			
Influenza ..	2	1	9	3	4	10	2	2	3	2	..	1	2	2	2	6	5	..	3	1	1	6	1	4	1	1	3	..	..	..	..	..	..	43	34	77			
Erysipelas ..	7	2	2	10	7	6	4	2	5	5	3	6	5	8	4	10	8	13	11	20	11	19	15	18	10	17	6	11	7	9	7	8	3	5	2	120	171	291	
Puerperal fever— (a) Ordinary ..	..	..	..	..	..	..	..	..	..	4	..	37	..	24	..	17	..	10	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	95	95	190		
(b) Following abortion or miscarriage ..	..	..	..	..	..	..	..	..	..	4	..	27	..	41	..	35	10	10	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	121	121	242		
Eclampsia ..	..	..	..	..	..	..	..	..	..	8	..	19	..	36	..	17	..	11	..	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	97	97	194		
Tetanus ..	..	..	..	..	..	1	2	1	1	1	2	1	1	4	..	2	..	4	1	2	4	..	1	1	5	4	4	..	..	..	..	..	..	..	11	4	15		
Hydatids ..	..	..	..	2	2	2	..	1	3	..	1	1	4	..	1	..	1	..	..	..	..	..	1	1	4	..	..	..	..	..	..	..	..	31	18	49			
Trachoma ..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	4	6		
Ophthalmia neonatorum ..	10	10	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	10	20			
Lethargic encephalitis ..	..	..	..	..	..	..	..	..	..	..	..	1	2	2	..	3	1	2	..	3	1	1	1	2	1	1	1	1	..	..	..	..	..	4	3	7			
Food poisoning ..	..	..	..	..	..	1	1	2	..	1	1	2	2	2	..	..	..	..	..	..	..	1	2	2	1	1	1	1	..	..	..	..	1	..	12	20	32		
Dysentery— (a) Bacillary ..	..	..	..	..	1	1	..	1	..	2	2	6	1	8	2	4	..	4	1	6	..	5	1	4	1	4	1	3	1	1	..	..	..	13	49	62			
(b) Amebic ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..		
Actinomycosis ..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1			
Undulant fever ..	..	..	..	..	..	1	..	1	..	1	1	1	1	..	2	1	..	1	1	..	..	3	..	..	1	1	1	..	..	..	..	..	..	11	4	15			
Lead poisoning ..	..	..	..	..	..	..	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	4			
Anthrax ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	1		
Totals ..	34	23	200	201	404	423	133	210	73	152	89	286	91	246	83	183	67	109	66	85	62	56	77	39	57	53	30	22	29	15	16	15	8	7	5	3	1,524	2,128	3,652